

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) An insert for use in a beverage preparation machine of a type comprising a brew head suitable for receiving a rigid or semi-rigid cartridge, the brew head comprising an upwardly directed inlet for supplying water to the brew head, a downwardly directed outlet for outflow of beverage produced by the machine, and a closure mechanism moveable between open and closed configurations, the insert comprising a receptacle and sealing means, the receptacle having an opening through which, in use, a quantity of beverage ingredients may be loaded into the receptacle, a lower portion of the insert comprising an inlet and an outlet, wherein, in use, on insertion of the insert into the brew head of the beverage preparation machine and movement of the closure mechanism into the closed position the sealing means is contactable with, and sealable against, the brew head to thereby close the opening of the receptacle to define a brewing volume containing the quantity of beverage ingredients, and on inserting the insert into the brew head the inlet and outlet of the insert are arranged to communicate respectively with the inlet and outlet of the brew head such that, in use, water from the inlet of the brew head passes upwardly through the inlet of the insert into the brewing volume and such that beverage produced from the water and the quantity of beverage ingredients passes downwardly through the outlet of the insert to flow out of the outlet of the brew head, and wherein the inlet and outlet of the insert are coplanar.

2. (Original) An insert as claimed in claim 1 wherein the quantity of beverage ingredients loaded in use into the receptacle are loose.

3. (Original) An insert as claimed in claim 2 wherein the insert comprises filtering means between the brewing volume and the outlet of the insert.

4. (Original) An insert as claimed in claim 1 wherein the quantity of beverage ingredients loaded in use into the receptacle are contained in a container comprising filtering means.

5. (Original) An insert as claimed in claim 4 wherein the container is flexible.

6. (Previously Presented) An insert as claimed in claim 5 wherein the container is formed at least in part from a filter paper or filtering membrane.

7. (Previously Presented) An insert as claimed in claim 6, wherein the container is a filter bag.

8. (Original) An insert as claimed in claim 4 wherein the container is a rigid or semi-rigid cartridge.

9. (Original) An insert as claimed in claim 8 wherein the cartridge is any of semi-spherical, cylindrical, round or square in shape.

10. (Previously Presented) An insert as claimed in claim 9, wherein the opening of the receptacle is upwardly directed.

11. (Previously Presented) An insert as claimed in claim 10, wherein the sealing means is located on an upper portion of the insert.

12. (Original) An insert as claimed in claim 11 wherein the sealing means is located on an upper rim of the insert.

13. (Previously Presented) An insert as claimed in claim 11, wherein the sealing means is separate from the receptacle.

14. (Previously Presented) An insert as claimed in claim 13, wherein the sealing means comprises a ring seal for sealing around a periphery of the brewing volume.

15. (Original) An insert as claimed in claim 14 wherein the sealing means comprises an O-ring.

16. (Previously Presented) An insert as claimed in claim 15, wherein the sealing means is formed from an elastomeric material.

17. (Previously Presented) An insert as claimed in claim 1, wherein the receptacle is cup-shaped and wherein the cup is upwardly or downwardly directed when the insert is located in said machine.

18. (Previously Presented) An insert as claimed in claim 17, wherein the insert is rigid or semi-rigid such that pressure applied, in use, to the insert by the closure mechanism of the beverage preparation machine on closing of said closure mechanism squeezes the insert with sufficient force for the sealing means to seal against the brew head.

19. (Original) An insert as claimed in claim 18 wherein the insert is sealable against a viewing window of the closure mechanism.

20. (Previously Presented) An insert as claimed in claim 19, wherein the insert is rigid or semi-rigid such that pressure applied, in use, to the insert by the closure mechanism of the beverage preparation machine on closing of said closure mechanism seals a lower surface of the insert against the inlet of the brew head of the beverage preparation machine.

21. (Previously Presented) An insert as claimed in claim 20, wherein the insert is formed as one piece.

22. (Previously Presented) An insert as claimed in claim 20, wherein the insert is formed from more than one piece.

23. (Previously Presented) An insert as claimed in claim 21, wherein the insert is disc-shaped.

24. (Previously Presented) An insert as claimed in claim 23, formed from plastic.

25. (Canceled)

26. (Currently Amended) An insert as claimed in claim ~~[[25]]~~ 1, further comprising an aperture for receiving on insertion of the insert in the beverage machine a window of a bar code reader or RFID reader of said machine.

27. (Original) An insert as claimed in claim 26 wherein the aperture is coplanar with the inlet and outlet of the insert.

28. (Previously Presented) An insert as claimed in claim 27, wherein the inlet of the insert is located at or near a periphery of the insert and the outlet of the insert is located at a centre of the insert.

29. (Previously Presented) An insert as claimed in claim 28, wherein, in use, flow through the insert is from the inlet to the outlet.

30. (Original) An insert as claimed in claim 29 wherein, in use, flow through the insert is generally in an inward direction from the inlet to the outlet.

31. (Previously Presented) An insert as claimed in claim 30, further comprising rotatable means for attaching the insert to the beverage preparation machine.

32. (Original) An insert as claimed in claim 31 wherein the rotatable means allows the insert to be rotated on closure of the closure mechanism into a horizontal orientation such that a lower surface of the insert is sealed against the inlet of the brew head.

33. (Previously Presented) An insert as claimed in claim 32 wherein the rotatable means comprises one or more legs which are attachable to, and rotatable about, one or more pivot points of the brew head.

34. (Previously Presented) An insert as claimed in claim 33, further comprising coding means for controlling operation of said beverage preparation machine.

35. (Original) An insert as claimed in claim 34 wherein the coding means comprises a bar code or radio frequency identification device (RFID).

Application No. 10/589,458

AMENDMENT AFTER FINAL UNDER 37 C.F.R. § 1.116 dated July 20, 2011

Reply to Office Action of April 29, 2011

Attorney Docket 1410-67688-US

36. (Previously Presented) An insert as claimed in claim 35, wherein the insert is disposable.

37. (Original) An insert as claimed in claim 36 wherein the inlet and/or outlet of the insert are initially closed by means of a frangible membrane.

38. (Previously Presented) An insert as claim in claim 35 wherein the insert is reusable.

39. (Original) An insert as claimed in claim 38 wherein the opening of the receptacle may be closed by means of a lid.

40. (Original) An insert as claimed in claim 39 wherein the lid is a push or slide fit with the receptacle.

41. — 56. (Canceled)